OLD FAITHFUL VISITORS CENTER EXHIBIT OBSERVATION STUDY

PAT STEPHENS WILLIAMS ***** RAY DARVILLE ***** SARAH FULLER ***** ARTHUR TEMPLE COLLEGE OF FORESTRY AND AGRICULTURE ***** STEPHEN F. AUSTIN STATE UNIVERSITY ***** NACOGODCHES, TX

♦ OBJECTIVES

This report was a result of volunteer research orchestrated by Katy Duffy, Interpretive Planner, Yellowstone National Park. The data collection was a direct need for grant compliance for the National Science Foundation associated with exhibits for the new Old Faithful Visitor Education Center, which opened to the public in August, 2006. The objective of this research was to understand visitor interaction with these exhibits using an unobtrusive form of data collection.

METHODS

Volunteer researchers from Stephen F. Austin State University met with Ms. Duffy, Ms. Linda Young, Ms. Tami Blackford, and Ms. Rebecca Garoville at a conference room at the Park Headquarters in Mammoth Hot Springs on Monday, July 22, 2013. Discussions had already taken place between Ms. Duffy and Ms. Linda Young and Dr. Pat Stephens Williams prior to the trip to Yellowstone.

The data collection site was the Old Faithful Visitor Education Center (OFVEC) opened in August, 2006. The Visitor Education Center, located nearby to Old Faithful itself contains an information desk, exhibit hall, Yellowstone Association Store, an auditorium for Yellowstone videos, restrooms, and offices. Each day park staff count the number of visitors to the OFVEC using an electronic counter mounted at each of the Center's three entrances. During July 26^{th} the official count was 9,125 visitors while 8,035 were counted during the 8 a.m. to 8 p.m. time period in which the Center is open to the public. For Friday, July 26^{th} , 3.3% (302/9125) of visitors were studied in the Exhibit area while on Saturday, July 27^{th} , 2.6% (202/8035) of visitors were studied.

Ms. Duffy had established a research protocol and had already collected data at the Old Faithful Visitor Education Center. The volunteers followed Ms. Duffy's protocol. Eight students from Stephen F. Austin State University were selected and used as data collectors. They were trained by Ms. Duffy in the data collection protocol and supervised by the professors with a graduate student, Ms. Sarah Fuller, selected as the lead volunteer assistant. The following is the protocol for data collection.

Form

Ms. Duffy created a data collection form used for the process. On the data collection form were three demographic questions: visitor's sex, age, and type of group. Once these data were recorded, next the volunteers recorded data pertaining to the total time at an exhibit, and ten questions related to activities at the exhibit:

- whether the person skipped the exhibit,
- whether the person skipped the exhibit with the exhibit occupied by one or more individuals,
- whether the person looked at the exhibit,
- whether the person read all or part of the information on the exhibit,

- whether the person read aloud information on the exhibit,
- whether the person interacted with the exhibit,
- whether the person engaged in shared interaction at the exhibit,
- whether there was unintended interaction at the exhibit,
- whether one or more photos was taken of the exhibit,
- and whether there was any other behavior at the exhibit not previously identified.

If an individual was observed engaging in any of these activities, data collectors were to indicate the activity on the form. As the visitor left the exhibit, the time at the exhibit was noted and recorded on the form.

Protocol

Two days were selected for data collection: Friday, July 26th and Saturday, July 27th. On Friday, students collected data from 9:30 a.m. to 4:00 p.m. for a total of 6.5 hours and on Saturday, July 27th from 10:30 a.m. to 3:30 p.m. for a total of 5 hours. A total of 11.5 hours of data collection was used.

Students were dressed in normal, visitor attire and stationed at specifically selected points inside the Exhibit Hall where they could clearly observe the visitors without intruding upon, or influencing, the visitor experience. These locations were selected based on Ms. Duffy's recommendations and an on-site review of the exhibit area. Students were to maintain an unobtrusive appearance throughout the data collection time.

Following the data collection period, data were entered into an Excel spreadsheet and then copied into an SPSS data file for analysis. The data files were cleaned and some checks of data input accuracy were made. Data analysis was performed using standard statistical techniques in SPSS Version 21.

✦ RESULTS

Observation results

Observations were conducted during two consecutive days, Friday, July 26th and Saturday, July 27th, 2013 by the researchers and research assistants. During July 26th, observations were made from 9:30 a.m. to 4:00 p.m. (total of 6.5 hours) and during July 27th observations were made from 10:30 a.m. to 3:30

p.m. (total of 5 hours); total number of hours was 11.5. During this time, the OFVC was open for a total of 24 hours.

Every fifth person entering into the Exhibit Hall was observed. A total of 514 visitors were observed following the research protocol. Of those, 58.8% (n=302) were observed on July 26th and 41.2% (n=212) were observed on July 27th (Table 1).

Table 1. Date of observation.

	Date	Frequency	Percent	Valid Percent	Cumulativ e Percent
	07/26/13	302	58.8	58.8	58.8
р	07/27/13	212	41.2	41.2	100.0
Vali	Total	514	100.0	100.0	

More visitors were observed in the afternoon (59.9%) compared to the morning (40.1%) (Table 2).

Table 2. Time of day of observation.

T.m.o	Frequency	Percent	Valid Percent	Cumulativ e Percent	
	morning	203	39.5	40.1	40.1
Valid	afternoon	303	58.9	59.9	100.0
	Total	506	98.4	100.0	
Missing	System	8	1.6		
Total		514	100.0		

Demographics of visitors

The sex distribution was almost even with males representing 51.1% of visitors and females comprising 48.9% of visitors (Table 3).

Table	3.	Sex	of	visitors

Sex of Visitor		Frequency	Percent	Valid Percent	Cumulativ e Percent
	female	250	48.6	48.9	48.9
Valid	male	261	50.8	51.1	100.0
	Total	511	99.4	100.0	
Missing	not known	3	.6		
Total		514	100.0		

Table 4. Age of visitor.

Age of Visitor		Frequency	Percent	Valid Percent	Cumulative Percent	
	10-14	66	12.8	12.9	12.9	-
	15-19	60	11.7	11.7	24.6	
	20s	62	12.1	12.1	36.6	
	30s	97	18.9	18.9	55.6	
Valid	40s	99	19.3	19.3	74.9	
vallu	50s	82	16.0	16.0	90.8	
	60s	38	7.4	7.4	98.2	
	70 or	9	1.8	1.8	100.	
	older				0	
	Total	513	99.8	100.0		
Mining	not	1	.2			
Missing	known					
Total		514	100.0			

Individuals were observed in the context of their group make-up as they were moving through the exhibit hall. Groups were designed as one of the following: alone, multi, couple, family, or other. The distribution of groups is below. The most prevalent group type was family (53.2%) while couples represented the next most common group type (21.9%) (Table 5).

Age was cross-tabulated by sex to look at age distribution more closely. Despite the protocol of every fifth visitor being selected as they entered the hall, males were more likely to be observed than females among those 10-14, 20s, and 60s while females were more likely than males to be observed among those 15-19, 30s, 40s, 50s, and 70 or older. However, the percent differences were relatively small and less than 5% for all age groups (Table 6).

In looking at whether time of day was related to group type, the cross tabulation revealed families

and singles were more likely to be observed in the afternoon while the multi group and couples were more likely observed in the morning (Table 7).

Table 5. Type of group for visitors.

	Group Type	Frequency	Percent	Valid Percent	Cumulative Percent
	alone	96	18.7	18.8	18.8
	multi	29	5.6	5.7	24.5
Valid	couple	112	21.8	21.9	46.4
vand	family	272	52.9	53.2	99.6
	other	2	.4	.4	100.0
	Total	511	99.4	100.0	
Missing	not known	3	.6		
Total		514	100.0		

Table 6. Age of visitor of sex of visit

Age of Visitor		Sex	Total	
		female	male	
10.14	Count	28	38	66
10-14	% within Sex	11.2%	14.6%	12.9%
15 10	Count	34	26	60
15-19	% within Sex	13.6%	10.0%	11.7%
20-	Count	29	33	62
208	% within Sex	11.6%	12.6%	12.1%
20-	Count	51	45	96
308	% within Sex	20.4%	17.2%	18.8%
40-	Count	50	49	99
40s	% within Sex	20.0%	18.8%	19.4%
50-	Count	40	41	81
50s	% within Sex	16.0%	15.7%	15.9%
(0-	Count	13	25	38
005	% within Sex	5.2%	9.6%	7.4%
70 or	Count	5	4	9
older	% within Sex	2.0%	1.5%	1.8%
Total	Count	250	261	511
Total	% within Sex	100.0%	100.0%	100.0%

	م	Time of D	ay	Total
	Groul Type	morning	afternoon	
	Count	38	58	96
	% within Time of Day	18.8%	19.3%	19.1%
	Count	12	16	28
	% within ፲፰ Time of Day	5.9%	5.3%	5.6%
	Count	50	59	109
	ہ within Time of Day	24.8%	19.6%	21.7%
	Count	101	167	268
	→ % within Time of Day	50.0%	55.5%	53.3%
	Count	1	1	2
	% within Time of Day	0.5%	0.3%	0.4%
	Count	202	301	503
Total	% within Time of Day	100.0%	100.0%	100.0%

rable 7. Group type by time of day of observation.	Table 7. C	Group type	by time of	f day of observation	ation.
--	------------	------------	------------	----------------------	--------

Time spent at exhibits

Researchers used stop-watches to observe the total time spent at each of the exhibits. For all visitors, the mean time was 1.4129 minutes (standard deviation = 1.59 minutes), or about 85 seconds (standard deviation = 95 seconds). Because of skewness, the median (Md = .88 minutes) may be the better measure of central tendency. The minimum recorded time was .02 minutes (1 second) while the maximum recorded time was 10.03 minutes, or 602 seconds. Some 75% of visitors were at the exhibits two minutes or less while 90% were at the exhibits 3.3 minutes or less (Table 8).

Visitor activities at exhibits

Below is a summary table that displays results from each of the exhibits (Table 9). The table shows the number of individuals observed who engaged in at least one activity for a particular exhibit, the mean number of activities observed (eight possible activities per exhibit) as well as the minimum number and the maximum number. In addition, the table displays the mean and standard deviation of times at each exhibit.

Table 8. Total time at exhibits.

-		Statistic	Std. Error
	Mean	1.4129	.06999
	95% Lower	1.2754	
	Interval for Upper Mean Bound	1.5504	
	5% Trimmed Mean	1.2091	
	Median	.8800	
	Variance	2.518	
	Std. Deviation	1.58689	
	Minimum	.02	
	Maximum	10.03	
utes)	Range	10.01	
(min	Interquartile Range	1.70	
Time	Skewness	2.093	.108
Total	Kurtosis	5.388	.215

The number of visitors observed was 514. Among these, there were 831 individual observations recorded, indicating that the average visitor stopped at about 1.5 exhibits while in the exhibit area. The number of observations varied by exhibit. More individuals were recorded at the diorama (n = 130) than any other exhibit while the rock exhibit had the fewest number of individuals (n = 48).

Results show that 831 total observations were made during the data collection phase. The grand mean number of activities per exhibit was 1.56. Mean number of activities was the lowest at the rock exhibit while the above/below ground exhibit resulted in the highest mean number of activities (M = 2.29).

Total time in minutes at each exhibit was recorded for each visitor. The grand mean was 2.44 minutes for all exhibits. Times at exhibit varied from a low of 0.92 minutes at the diorama to 3.07 minutes at the rock exhibit.

Exhibit	Number of Observations	Number of Activities at Exhibit			Time at Exhibit	
		Mean	Min	Max	Mean	Standard Deviation
HT	65	1.68	1	5	2.70	1.97
Gush	56	1.29	1	3	2.79	1.90
Steam	63	1.38	1	3	2.60	1.78
Hiss	50	1.22	1	5	2.61	1.80
Bubble	52	1.40	1	5	2.74	1.97
Dioram a	130	2.12	1	5	0.92	0.91
Volc	65	1.55	1	3	2.79	2.27
Heat	61	1.39	1	3	3.07	2.31
H20	52	1.46	1	5	3.01	2.26
Frac	54	1.22	1	2	3.00	2.21
Rock	48	1.19	1	3	3.07	2.21
Above/ Below Ground	68	2.29	1	5	1.12	1.17
pН	67	2.09	1	4	1.33	1.22
Totals	831	1.56	1	3.92	2.44	1.84

Table 9. Descriptive statistics for exhibits.

The three demographic factors (sex, approximate age, group structure) were analyzed to determine if they significantly impacted total time at each of the exhibits. Thirty-nine One-Way ANOVA tests were conducted to examine the data for mean differences by sex, age, and group. Of the 39 tests, only one produced a significant outcome-total time at the Diorama Exhibit by group. Those having the longest time at the Diorama exhibit were those in multi-groups (M = 1.78 minutes) and couples (M = 1.03) while those spending the least time there were those who appeared to be alone (M = 0.75) (Table 10).

+ DISCUSSION

It is obvious that use of the visitor center is not uniform throughout the day. Larger numbers of visitors do not arrive until 9 a.m. or so and by 4 p.m. the number of visitors in the visitor center has decreased dramatically from levels earlier in the day. Highest visitation appears to be during the mid-day hours of 10 a.m. to 3 p.m.

Table 10. ANOV	A results	of total	time	(in	minutes)	at	the
Diorama Exhibit	by group						

					95% Confidence Interval for Mean			
	Ν	Mean	Std. Deviation	Std. Error	Lower Bound	Upper Bound	Minimum	Maximum
alone	26	.7515	1.06383	.20863	.3218	1.1812	.05	4.70
multi	10	1.7770	1.34790	.42624	.8128	2.7412	.42	4.00
couple	30	1.0333	.90807	.16579	.6943	1.3724	.08	3.93
family	63	.7778	.66223	.08343	.6110	.9446	.03	3.05
Total	129	.9094	.90776	.07992	.7512	1.0675	.03	4.70

It is also obvious that use of the visitor center is a function of eruption times of Old Faithful. Immediately prior to and following an eruption, visitation of the exhibit area increased.

From the observations here there is some baseline information from which to build. There is now documented use by specific age groups and dynamics, times, and exhibits. A deeper look into the data here may give specific indications of what particular types of exhibits seem to draw specific audiences and engage them for what might be perceived as an accurate amount of time for them to clearly internalize the message of the exhibit. This information will help in the future design of exhibits and exhibit halls with specific audiences and intents in mind.

YOUNG SCIENTIST! CHILDREN'S AREA

✦ RESULTS

Demographics

Observers recorded data on 54 children while they were in the children's area. Of those 54 children, 31 (57.4%) were boys and 23 (42.6%) were girls (Table 11).

107

Table 11. Sex of Child.

		Frequency	Percent	Valid Percent	Cumulativ e Percent
	Girl	23	42.6	42.6	42.6
q	Boy	31	57.4	57.4	100.0
Vali	Total	54	100.0	100.0	

Age, using four age groups, of the child was estimated and recorded as well. About 9% were younger than kindergarten age. The modal category was kindergarten through 3^{rd} grade with 44.4% in this category. Those in the fourth through 8^{th} grade were the second most common (29.6%) and about one-ofsix children (16.7%) were in high school (Table 12).

Table 12. Age of Child.

		Frequency	Percent	Valid Percent	Cumulative Percent	
	Pre-K	5	9.3	9.3	9.3	
	K-3rd	24	44.4	44.4	53.7	
	4th-8th	16	29.6	29.6	83.3	
jid	9th-12th	9	16.7	16.7	100.0	
Val	Total	54	100.0	100.0		

Researchers also recorded the type of group with which the children entered the children's area. Three group types were identified and recorded: alone, with single adult, or with family. Over 50% of children came to the area with their family. Another third came to the area with a single adult while 13% entered alone (Table 13).

		Frequency	Percent	Valid Percent	Cumulativ e Percent
	alone	7	13.0	13.0	13.0
	with single adult	18	33.3	33.3	46.3
id	with family	29	53.7	53.7	100.0
Vali	Total	54	100.0	100.0	

Lastly, the number of children in the group was noted; this included the child being observed. Two was the modal category (40.7%) while another 35.2% entered alone (Table 14).

Table 14. Number of Children in Group.

	Frequency	Percent	Valid Percent	Cumulative Percent
1	19	35.2	35.2	35.2
2	22	40.7	40.7	75.9
3	9	16.7	16.7	92.6
4	3	5.6	5.6	98.1
pi 5	1	1.9	1.9	100.0
Total	54	100.0	100.0	

Time in area

Once the child entered the children's area, time was recorded using a stopwatch until the child exited the area. Total time was recorded in seconds and in minutes. The results for the number of minutes the observed children were in the children's area are in the table below (Table 15). The mean time in the children's area was 3.63 minutes (SD = 3.12 minutes). The median was 2.83 minutes, which means that about half the children were there less than 2.83 minutes and about half were there more than 2.83 minutes. The minimum time was .13 minutes (or about 8 seconds) while the maximum time was 16.15 minutes. Ninety percent were in the area less than 7 minutes.

Total time in the children's area was examined using the demographic variables to determine if any of the variables explained variability in the time spent in the area. Sex of the child did exhibit some variability in average time: boys (M = 2.97) were in the area for a shorter time period than girls (M = 4.52). However, the mean difference of 1.55 was not statistically significant at the 0.05 level (p =. 07). Of note, the standard deviation for girls (SD = 3.80) was well over one minute more than for boys (SD = 2.33); this suggests that time in the area for boys was more consistent and less varied than for girls (Table 16).

1	Δ	0
1	υ	0

		Statistic	Std.
			Error
	Mean	3.6287	.42392
	95% Lower	2.7784	
	Confidence Bound		
	Interval for Upper	4.4790	
	Mean Bound		
	5% Trimmed Mean	3.3221	
	Median	2.8333	
	Variance	9.704	
	Std. Deviation	3.11516	
s)	Minimum	.13	
inute	Maximum	16.15	
me (in mi	Range	16.02	
	Interquartile Range	3.58	
al Tii	Skewness	1.630	.325
Toti	Kurtosis	3.980	.639

Table 15. Total Time in Young Scientist! Children's Area.

Age also could influence the amount of time in the children's area. Pre-Kindergarten children had the longest average time in the area (M = 3.93) while high schoolers had the shortest mean time (M = 2.43). However, while there were mean differences by age group, the test for statistical significance was not significant at the .05 level (p. = .673) (Table 17).

Next, total time in the children's area was examined with group type. Children entering in a family group spent the longest total time (M = 3.13 minutes) while those alone had the shortest mean time in the children's area (M = 1.14 minutes). The One-Way ANOVA test for significance of mean differences was not significant at the .05 level (p = 0.069) (Table 18).

Table 16.	Total	time	in	children's	area	by	sex.
-----------	-------	------	----	------------	------	----	------

			riation	or 95% Confidence		Mean	Minimum	Maximum
Sex	N	Mean	Std. Dev	Std. Erro	Lower Bound	Upper Bound		
girl	23	4.52	3.80	.792	2.88	6.16	.38	16.15
boy	31	2.97	2.35	.421	2.11	3.83	.13	9.97
Total	54	3.63	3.12	.424	2.78	4.48	.13	16.15

Table 17. Total time in children's area by age group.

					95% Confidence	Interval for Mean		
Age Group	Ν	Mean	Std. Deviation	Std. Error	Lower Bound	Upper Bound	Minimum	Maximum
Pre-K	5	3.93	1.40	.554	2.391	5.469	1.9 0	4.90
K-3rd	24	3.85	3.83	.782	2.237	5.472	.22	16.15
4th-8th	16	3.87	2.93	.732	2.308	5.430	.13	9.97
9th-12th	9	2.43	1.82	.608	1.032	3.835	.37	5.50
Total	54	3.63	3.12	.424	2.778	4.479	.13	16.15

 Table 18. Total Time (in minutes) in children's area by group type.

					95% Confidenc e Interval for Mean		Minimum	Maximum
Group Type	Ν	Mean	Std. Deviation	Std. Error	Lower Bound	Upper Bound		
alone	7	1.138	1.040	.393	.177	2.10	.13	2.88
with single adult	18	3.795	2.955	.696	2.33	5.27	.38	9.97
with family	29	4.126	3.318	.616	2.86	5.39	.20	16.15
Total	54	3.629	3.115	.424	2.78	4.48	.13	16.15

Last, total time in the area was analyzed by number of children in the group. Results were statistically significant (p. = .024). Those who were in the children's area alone spent significantly less time, on average, in the area (M = 2.00 minutes) compared to those who were in a group of three children (5.33 minutes) (Table 19).

Table 19. Total time in children's area by number of children.

r of sn			viation	or	95% Confidence Interval for Mean		ш	ur
Numbe Childre	Z	Mean	Std. De	Std. Err	Lower Bound	Upper Bound	Minimu	Maximu
1	19	2.00	1.71	.392	1.18	2.83	.13	5.53
2	22	4.35	3.59	.766	2.75	5.94	.20	16.15
3	9	5.33	3.25	1.08	2.83	7.83	1.38	10.88
4 or 5	4	3.59	2.52	1.26	421	7.60	1.00	6.53
Total	54	3.63	3.12	.424	2.78	4.48	.13	16.15

Individual exhibits

The table below shows the percentage (rounded to the nearest whole percentage) of children who entered the Young Scientist! area and their participation in the nine behaviors for each of the eleven exhibits (which includes the junior ranger station located in the near right corner of the room) (Table 20).

Only the observing and geyser model exhibit drew participation by over half of all children. Some 80% of children went to the observing exhibit and 76% of children went to the geyser model exhibit. The exhibits most likely skipped were the "Is It True?" exhibit with 82% skipping it and the ID Wildlife exhibit with 80% skipping it. The mean for all exhibits was 61% skipped. Very few children skipped exhibits while exhibits were occupied; this occurred for only two exhibits (ID Wildlife and Predicting Geysers).

The most read exhibits were the Geyser Model (15%), Predicting Geysers (13%), and the Is it True? (11%). All other exhibits had fewer than 10% of children doing any reading. Reading aloud was less prevalent than reading to one's self (as might be expected). Reading aloud was observed for only three exhibits (Observing, Is It True?, and Geyser Model), each of which had 2%.

Interaction was observed for all eleven exhibits with an average of 19% across all exhibits. Interaction varied by exhibit, ranging from a high of 56% for the Observing exhibit to a low of 6% for the Young Scientist Trivia and Geyser Model exhibits. On average, shared interaction occurred 6% of the time. Observing had the highest amount of shared interaction (26%). Animal Tracks (9%), Geyser Model (7%), and Jr. Ranger (7%) had some shared interaction, too.

Behaviors were cross-tabulated with the demographic variables to determine if any statistical significant patterns existed. Results of all tests are shown below in the table (Table 21). Significant relationships are identified and the characteristic of the demographic variable with the highest frequency of that particular behavior is identified. For example, the relationship between skipped and sex was significant and furthermore, results indicate that boys were more likely to skip the junior ranger station than girls.

Table 20. Percentages of children at each exhibit engaging in selected behaviors.

Exhibit Name	Skipped	Skipped, Occupied	Read	Looked	Read Aloud	Interact	Shared Interaction	Unintended Interaction	Photo Taken
Observing	20%	0%	9%	43%	2%	56%	26%	0%	0%
Layers of Life	69%	0%	4%	24%	0%	7%	4%	0%	0%
Young Scientist Trivia	78%	0%	9%	19%	0%	6%	4%	0%	0%
Is it True?	82%	0%	11%	6%	2%	15%	2%	0%	0%
Stage	65%	0%	0%	17%	0%	28%	2%	0%	0%
Eating Silica	56%	0%	7%	32%	0%	22%	6%	0%	0%
Animal Tracks	67%	0%	9%	22%	0%	19%	9%	0%	0%
ID Wildlife	80%	2%	0%	13%	0%	7%	0%	0%	0%
Predicting Geysers	67%	4%	13%	20%	0%	19%	1%	0%	0%
Geyser Model	24%	0%	15%	70%	2%	6%	7%	0%	0%
Jr. Ranger	63%	0%	2%	19%	0%	22%	7%	0%	0%
Mean	61%	1%	7%	26%	1%	19%	6%	0%	0%

Behavior	Sex	Age	Group Type	Number of Children	
Skipped Junior Ranger (boys more likely to skip than girls)		Junior Ranger (most likely to skip were high schoolers and least likely to skip were pre- schoolers)	No significant relationships	No significant relationships	
Skipped, Occupied	No significant relationships	No significant relationships	No significant relationships	No significant relationships	
Read	Animal Tracks (boys more likely than girls)	Is it true? (Children in 4 th – 8 th grade more likely); Eating Silica (Children in 4 th – 8 th grade more likely) Geyser Model (Children in 4 th – 8 th grade most likely)	Is it true? (Children with single adults more likely)	No significant relationships	
Looked	No significant relationships	No significant relationships	No significant relationships	No significant relationships	
Read Aloud	No significant relationships	No significant relationships	No significant relationships		

Table 21. Relationships between demographic variables and behaviors in children's area.

Interact	No significant relationships	Observing (Pre-K children more likely) ; Animal Tracks (Pre-K children more likely)	ID Wildlife (Children with single adult more likely)	No significant relationships
Shared Interaction	No significant relationships	No significant relationships	No significant relationships	Junior Ranger (Children in groups of three children more likely)
Unintended Interaction	None observed	None observed	None observed	None observed
Photo Taken	None observed	None observed	None observed	None observed
Other	None observed	None observed	None observed	None observed